


Bitterzoet

General & Technical Details 2025 v2



Contact details

Street	Spuistraat 2
Postal code	1012 TS
City	Amsterdam
Telephone	+31(0)20 - 421 123 18
Website	www.bitterzoet.com
General Email	info@bitterzoet.com
Capacity	350 persons (excl guestlist)
Unload address	Teerketelsteeg 1 (see map page 9) Load-in and load-out only, vehicles have to move directly after No parking here. Parking: On the streets near Bitterzoet (paid parking) In one of the near parking garages (see map)



Crew

Production	Indy Janssen
Email production	productie.bitterzoet@gmail.com
Telephone	+31(0)6 - 39 10 75 02
Technical crew	Jorrit Makkinga
Email technical crew	techniek@bitterzoet.com
Telephone	+31(0)6 - 45 92 06 65
In case of absence	Bas Louwers
Email	bas@bitterzoet.com
Telephone	+31(0)6 - 34 86 07 10

Bitterzoet General & Technical Specs 2025 V1

Standard time schedule

16.00	Load in (early load in fee €100/hour for any time before 4pm)
18.00	Noise curfew (no soundcheck before 6pm due to law restrictions and surrounding offices)
19.30	Doors
20.30	Showtime
22.00	Show curfew

Sound specs

PA

Mains

1x EAW UX8800 DSP AES/Analog
2x EAW JF59 Bi-amp Lab Gruppen C28:4/C48:4
2x EAW SB625z MC2 Delta 80

Delay

2x EAW FR159z Lab Gruppen C48:4

Monitors

4x EAW SM200iH Lab Gruppen IP2100

Main board

Soundcraft Vi1
32 Analog inputs, stagebox downstage left
Outputs 1-4 to monitors
Outputs 5-12 to stagebox upstage left

Microphones

1x Shure Beta52
1x Sennheiser e901 Condenser
3x Sennheiser e904
1x Shure Beta56
4x Shure SM57
3x Shure SM 137 Condensers
2x Sennheiser e906
1x Sennheiser MD421 II
3x Shure Beta58
5x Shure SM58
1x Sennheiser e945
2x Sennheiser EW500-945 For rent: €45,- incl VAT per mic

DI's

5x Radial Pro48 Single channel active
2x Radial Pro D2 Stereo passive

DJ Gear

1x Pioneer DJM-A9
2x Pioneer DJM-900nxs2
1x Pioneer DJM-900nxs
3x Pioneer CDJ-3000
3x Pioneer CDJ-2000nxs
2x Pioneer CDJ-2000nxs2
2x Technics SL1200 MK2 No cartridges available
2x Nova U12 DJ Monitors

Backline for rent

1x Fender Twin €45,- incl VAT

1x Ampeg SVT200T €50,- incl VAT

1x Ampeg 4x10" Classic Comes with SVT

This equipment has to be rented from the venue, please contact Bitterzoet in advance if needed

Stage dimensions

6m wide x 3m deep x 0,7m high

Clearance from top stage to light grid 2.40m to 3.00m

Lighting specs

Lighting Desk

Chamsys MQ 40N + Wing (12 faders, 12 execute buttons)

Node 4 universes

Video specs

Short Throw Projector Downstage

Screen size: 256x139

Screen position: Upstage

Inputs: HDMI at FOH or Stage



Lighting Patch

Head No	DMX	Position	Hang	Manufacturer	Model	Mode
1	01-125			Chauvet	MavForceSSpot	Advanced
2	01-154			Chauvet	MavForceSSpot	Advanced
3	01-183			Chauvet	MavForceSSpot	Advanced
4	01-212			Chauvet	MavForceSSpot	Advanced
5	01-241			Martin	Aura	Standard
6	01-255			Martin	Aura	Standard
7	01-269			Martin	Aura	Standard
8	01-283			Martin	Aura	Standard
101	01-505			CLF	ColourPar12	5ch
102	01-500			CLF	ColourPar12	5ch
103	01-052			Ayrton	Easycolor2	
104	01-062			Ayrton	Easycolor2	
105	01-072			Ayrton	Easycolor2	
105	01-082			Ayrton	Easycolor2	
116	01-390			Martin	Atomic	4ch
300	01-335			Showtec	Octostrip	Mode 1
400	01-401			Showtec	ActSunStrip	Mode 10
410	01-411			Showtec	ActSunStrip	Mode 10
420	01-421			Showtec	ActSunStrip	Mode 10
430	01-431			Showtec	ActSunStrip	Mode 10
440	01-441			Showtec	ActSunStrip	Mode 10
8001	02-001			max	octo	klein2
8002	02-113			max	octo	klein2

Head No	Head Name	Beam Angle	Gel	Position	Hang	DMX	DMX	DMX
50	front					01-102		
51	front					01-101		
52	front					01-103		
70	par stage					01-113		
71	par stage					01-114		
72	par stage					01-115		
73	par stage					01-116		
74	par stage					01-117		
75	par stage					01-118		
76	par stage					01-119		
77	par stage					01-120		
78	par stage					01-121		
79	par stage					01-122		
80	par stage					01-123		
81	par stage					01-124		
120	zaallicht					01-107		
121	zaallicht					01-108		
122	zaallicht					01-109		
201	Dimmer					02-282		
202	Dimmer					02-283		
203	Dimmer					02-284		
308	Dimmer							
911	haze					03-511		
912	fan					03-512		


Lighting Plot

SACN: Node 2.0.0.1
 subnet: 255.0.0.0



-  atomic 4CH
-  aura 14CH
-  chauvet forceS Spot 29 CH
-  easycolor2 10CH
-  CLF colorpar12 5ch

SACN: Node 2.0.0.1
subnet: 255.0.0.0




-  Sunstrip 10 CH
-  par 56 medium
-  fresnel
-  zaallicht (Dimmer)


1.109



SACN: Node 2.0.0.1
subnet: 255.0.0.0



-
-  Octostrip MKII 0,5M
 -  Leddriver octostrip MKII 112CH
 -  octostrip MKI
 -  leddriver octostrip MKI 48CH



Venue photos

